

Project Name:

SECTION 12492  
Horizontal Louver Blinds

**Part 1 - General**

1.01 DESCRIPTION

- A. 1" Horizontal Louver Blinds with Aluminum Slats.

1.02 SUBMITTALS

- A. Manufacturer's complete CSI 3-part specification sheet.
- B. Submit working hand sample or mock up blind as required.
- C. Submit two 6" samples of slat material indicating color and dimensions.

1.03 DELIVERY, STORAGE AND HANDLING

- A. Product to be delivered to jobsite in manufacturer's original packaging.
- B. Products to be handled and stored to prevent damage to materials, finishes and operating mechanisms. Store in a clean, dry area, laid flat to prevent sagging and twisting of packaging.

1.04 EXTRA STOCK

- A. Describe extra attic stock as required:

**Part 2 – Products**

2.01 ACCEPTABLE MANUFACTURERS

- A. Springs Window Fashions LLC or architect approved equal
- B. Substitutions Request: Submit for approval under provisions of section 01600.

2.02 HORIZONTAL BLINDS

- A. Product: Bali® CustoMiser® Mini Blinds
- B. Color Name:                      Color Number:
- C. **Headrail** shall be 1" high x 1" wide x .025" thick U-shaped steel. The steel finishing process includes phosphate treatment for corrosion resistance, a chrome-free sealer, a low HAP urethane primer and a topcoat of low HAP polyester baked enamel.



**Part 3 – Execution**

3.01 INSPECTION

- A. Installer shall be responsible for inspection of jobsite, approval of mounting surfaces, verification of field measurements and installation conditions. Installation shall commence when satisfactory conditions are met.

3.02 INSTALLATION

- A. Install blinds in accordance with manufacturer’s instructions including recommended support brackets and fasteners.
- B. Install blinds with adequate clearance to permit smooth operation of the blinds. Demonstrate blinds to be in smooth, uniform working order.

3.03 MAINTENANCE AND CLEANING

- A. Maintain and clean blinds in accordance with manufacturer’s instructions.

**End of Section**